

One piece 'fast fit' (20 series) - One piece back box.

Individual 'fast fit' (20A series) - Individual box bases for each compartment.

Screed/Screw fixed/Stainless (99 series) - Screed and stainless steel boxes available. Stainless suited for more prestigious spaces e.g. reception areas.




Fully configurable floor box

- Wide range of accessory n
- Can be prewired with Betatrak® tap offs
- Deeper versions available

Fast fit advantages

- Ouick removal with services fitted
- Installation tolerance of -0/+3mm
- Fixes to floor thicknesses of 15-50mm



Carpet inlay

Blue/grey moulded polycarbonate ABS

RAL 7031

Handle

• Self Closir

Robust cable outlet

Designed with 'Anti-Trip' facility






One Piece

Our one piece 20 Series 'Fast Fit' access floor box has been designed to meet the demands of the modern day working environment.




- Fast and simple tool free fixing mechanism •
- Easy access for carpet fitting: the lid and trim is removed in seconds
- Quick release lid for easy access to accessory plates
- Can be pre-fitted with socket outlet and tap off • unit
- Self closing lid •
- Non-trip cable outlet brackets •
- 3 and 4 compartment boxes are the same overall . size. Compartment sizes:
 - 3 compartment: 100mm x 175mm
 - 4 compartment: 75mm x 175mm
- 85mm standard depth (other sizes available, see table opposite)



Overall Depth	Plug Space	Socket Space
85mm	30mm	45mm
100mm	45mm	45mm
115mm	60mm	45mm
130mm	75mm	45mm







3 Compartment		4 Compartment	
Code	Description	Code	Description
One Piece Unwired	Floor box, Grey Trim	One Piece Unwired Floor box, Grey Trim	
PP20385G	Standard 'Fast Fit' 85mm deep	PP20485G	Standard 'Fast Fit' 85mm deep
PP20310G	Standard 'Fast Fit' 100mm deep	PP20410G	Standard 'Fast Fit' 100mm deep
PP20311G	Standard 'Fast Fit' 115mm deep	PP20411G	Standard 'Fast Fit' 115mm deep
PP20313G	Standard 'Fast Fit' 130mm deep	PP20413G	Standard 'Fast Fit' 130mm deep
Add Suffix /KL	Additional overcost to fit a Key Lock to a floor box lid	Add Suffix /KL	Additional overcost to fit a Key Lock to a floor box lid

distribution



3m or 5m 32A unfused Betatrak® tap off

3 Compartment

Code	Description	
3m Standard Earth White Plug		
P20385G/BS3U104	1 x Twin 13A Switched Socket	
P20385G/BS3U207	2 x Twin 13A Switched Sockets	
P20385G/BS3U113	1 x Twin 13A Switched RCD Socket	
P20385G/BS3U221	2 x Twin 13A Switched RCD Sockets	
5m Standard Earth White Plug		
P20385G/BS5U102	1 x Twin 13A Switched Socket	
P20385G/BS5U204	2 x Twin 13A Switched Sockets	
P20385G/BS5U108	1 x Twin 13A Switched RCD Socket	
P20385G/BS5U213	2 x Twin 13A Switched RCD Sockets	

Clean Earth One piece pre-wired floor box c/w 3m or 5m 32A unfused Betatrak® tap off

3 Compartment

Code	Description		
3m Clean Earth Red I	3m Clean Earth Red Plug		
P20385G/BC3U101	1 x Twin 13A Switched Socket		
P20385G/BC3U205	2 x Twin 13A Switched Sockets		
P20385G/BC3U110	1 x Twin 13A Switched RCD Socket		
P20385G/BC3U220	2 x Twin 13A Switched RCD Sockets		
5m Clean Earth Red F	5m Clean Earth Red Plug		
P20385G/BC5U103	1 x Twin 13A Switched Socket		
P20385G/BC5U203	2 x Twin 13A Switched Sockets		
P20385G/BC5U108	1 x Twin 13A Switched RCD Socket		
P20385G/BC5U207	2 x Twin 13A Switched RCD Sockets		

Auxiliary Standard Earth One piece pre-wired floor

box c/w 3m or 5m 32A unfused Betatrak® tap off

3 Compartment

Code	Description
3m Auxiliary Earth Bla	ack Plug
P20385G/BA3U102	1 x Twin 13A Switched Socket
P20385G/BA3U203	2 x Twin 13A Switched Sockets
P20385G/BA3U105	1 x Twin 13A Switched RCD Socket
P20385G/BA3U206	2 x Twin 13A Switched RCD Sockets
5m Auxiliary Earth Bla	ack Plug
P20385G/BA5U101	1 x Twin 13A Switched Socket
P20385G/BA5U202	2 x Twin 13A Switched Sockets
P20385G/BA5U102	1 x Twin 13A Switched RCD Socket
P20385G/BA5U204	2 x Twin 13A Switched RCD Sockets

4 Compartment

Code	Description
3m Standard Earth W	hite Plug
P20485G/BS3U102	1 x Twin 13A Switched Socket
P20485G/BS3U204	2 x Twin 13A Switched Sockets
P20485G/BS3U103	1 x Twin 13A Switched RCD Socket
P20485G/BS3U209	2 x Twin 13A Switched RCD Sockets
5m Standard Earth W	hite Plug
P20485G/BS5U101	1 x Twin 13A Switched Socket
P20485G/BS5U201	2 x Twin 13A Switched Sockets
P20485G/BS5U102	1 x Twin 13A Switched RCD Socket
P20485G/BS5U203	2 x Twin 13A Switched RCD Sockets

4 Compartment

· · · · · · · · · · · · · · · · · · ·	
Code	Description
3m Clean Earth Red P	lug
P20485G/BC3U100	1 x Twin 13A Switched Socket
P20485G/BC3U202	2 x Twin 13A Switched Sockets
P20485G/BC3U102	1 x Twin 13A Switched RCD Socket
P20485G/BC3U207	2 x Twin 13A Switched RCD Sockets
5m Clean Earth Red P	lug
P20485G/BC5U101	1 x Twin 13A Switched Socket
P20485G/BC5U201	2 x Twin 13A Switched Sockets
P20485G/BC5U103	1 x Twin 13A Switched RCD Socket
P20485G/BC5U203	2 x Twin 13A Switched RCD Sockets

JOWEL

Code Description 3m Auxiliary Earth Black Plug P20485G/BA3U102 1 x Twin 13A Switched Socket P20485G/BA3U204 2 x Twin 13A Switched Sockets P20485G/BA3U103 1 x Twin 13A Switched RCD Socket P20485G/BA3U207 2 x Twin 13A Switched RCD Sockets P20485G/BA3U207 2 x Twin 13A Switched RCD Sockets P20485G/BA3U207 2 x Twin 13A Switched RCD Sockets

5m Auxiliary Earth Black Plug		
P20485G/BA5U100	1 x Twin 13A Switched Socket	
P20485G/BA5U201	2 x Twin 13A Switched Sockets	
P20485G/BA5U101	1 x Twin 13A Switched RCD Socket	
P20485G/BA5U203	2 x Twin 13A Switched RCD Sockets	



С


T

Individual Compartment


Our individual 20A Series 'Fast Fit' access floor box has been designed to meet the demands of the modern day working environment. Separate removable compartments allow services to be removed whilst the floor box body and lid remain in situ.

IP Rating IP2X

- Fast and simple tool free fixing mechanism
- Easy access for carpet fitting: the lid and trim is removed in seconds
- Quick release lid for easy access to accessory plates
- Can be pre-fitted with socket outlet and tap-off unit
- Self closing lid
- Non-Trip cable outlet brackets
- 3 and 4 compartment boxes are the same overall size. Compartment sizes:
 - 3 compartment: 100mm x 175mm
 - 4 compartment: 75mm x 175mm
- 85mm standard depth (other sizes available, see table opposite)



Overall Depth	Plug Space	Socket Space
85mm	30mm	45mm
100mm	45mm	45mm
115mm	60mm	45mm
130mm	75mm	45mm



3 Compartment

Code	Description	
One Piece Unwired Fl	oor box, Grey Trim	
PP20A385G	Standard 'Fast Fit' 85mm deep	
PP20A310G	Standard 'Fast Fit' 100mm deep	
PP20A311G	Standard 'Fast Fit' 115mm deep	
PP20A313G	Standard 'Fast Fit' 130mm deep	
Individual compartments 45mm deep		
PPS2034A	Single Width	
PPS203D4A	Double Width	
Add Suffix /KL	Additional overcost to fit a Key Lock to a floor box lid	

4 Compartment

Code	Description		
One Piece Unwired	One Piece Unwired Floor box, Grey Trim		
PP20A485G	Standard 'Fast Fit' 85mm deep		
PP20A410G	Standard 'Fast Fit' 100mm deep		
PP20A411G	Standard 'Fast Fit' 115mm deep		
PP20A413G	Standard 'Fast Fit' 130mm deep		
Individual compartments 45mm deep			
PPS2044A	Single Width		
PPS204D4A	Double Width		
Add Suffix /KL	Additional overcost to fit a Key Lock to a floor box lid		



3m or 5m 32A unfused Betatrak® tap off

3 Compartment

Code	Description	
3m Standard Earth White Plug		
P20A385GBS3U104	1 x Twin 13A Switched Socket	
P20A385GBS3U202	2 x Twin 13A Switched Sockets	
P20A385GBS3U108	1 x Twin 13A Switched RCD Socket	
P20A385GBS3U209	2 x Twin 13A Switched RCD Sockets	
5m Standard Earth White Plug		
P20A385GBS5U103	1 x Twin 13A Switched Socket	
P20A385GBS5U202	2 x Twin 13A Switched Sockets	
P20A385GBS5U104	1 x Twin 13A Switched RCD Socket	
P20A385GBS5U204	2 x Twin 13A Switched RCD Sockets	

Clean Earth One piece pre-wired floor box c/w 3m or 5m 32A unfused Betatrak® tap off

3 Compartment

Code	Description
3m Clean Earth Red F	lug
P20A385GBC3U100	1 x Twin 13A Switched Socket
P20A385GBC3U204	2 x Twin 13A Switched Sockets
P20A385GBC3U103	1 x Twin 13A Switched RCD Socket
P20A385GBC3U206	2 x Twin 13A Switched RCD Sockets
5m Clean Earth Red F	lug
P20A385GBC5U101	1 x Twin 13A Switched Socket
P20A385GBC5U201	2 x Twin 13A Switched Sockets
P20A385GBC5U102	1 x Twin 13A Switched RCD Socket
P20A385GBC5U202	2 x Twin 13A Switched RCD Sockets

Auxiliary Standard Earth One piece pre-wired floor

box c/w 3m or 5m 32A unfused Betatrak® tap off

3 Compartment

Code	Description
3m Auxiliary Earth Bla	ack Plug
P20A385GBA3U101	1 x Twin 13A Switched Socket
P20A385GBA3U202	2 x Twin 13A Switched Sockets
P20A385GBA3U102	1 x Twin 13A Switched RCD Socket
P20A385GBA3U204	2 x Twin 13A Switched RCD Sockets
5m Auxiliary Earth Bla	ack Plug
P20A385GBA5U102	1 x Twin 13A Switched Socket
P20A385GBA5U202	2 x Twin 13A Switched Sockets
P20A385GBA5U103	1 x Twin 13A Switched RCD Socket
P20A385GBA5U203	2 x Twin 13A Switched RCD Sockets

4 Compartment

Code	Description
3m Standard Earth W	'hite Plug
P20A485GBS3U101	1 x Twin 13A Switched Socket
P20A485GBS3U204	2 x Twin 13A Switched Sockets
P20A485GBS3U103	1 x Twin 13A Switched RCD Socket
P20A485GBS3U206	2 x Twin 13A Switched RCD Sockets
5m Standard Earth W	'hite Plug
P20A485GBS5U100	1 x Twin 13A Switched Socket
P20A485GBS5U204	2 x Twin 13A Switched Sockets
P20A485GBS5U101	1 x Twin 13A Switched RCD Socket
P20A485GBS5U205	2 x Twin 13A Switched RCD Sockets

4 Compartment

· · · · · · · · · · · · · · · · · · ·	
Code	Description
3m Clean Earth Red P	lug
P20A485GBC3U100	1 x Twin 13A Switched Socket
P20A485GBC3U202	2 x Twin 13A Switched Sockets
P20A485GBC3U102	1 x Twin 13A Switched RCD Socket
P20A485GBC3U203	2 x Twin 13A Switched RCD Sockets
5m Clean Earth Red P	lug
P20A485GBC5U100	1 x Twin 13A Switched Socket
P20A485GBC5U201	2 x Twin 13A Switched Sockets
P20A485GBC5U101	1 x Twin 13A Switched RCD Socket
P20A485GBC5U202	2 x Twin 13A Switched RCD Sockets

4 Compartment Code Description 3m Auxiliary Earth Black Plug

3m Auxiliary Earth Black Plug				
P20A485GBA3U101	1 x Twin 13A Switched Socket			
P20A485GBA3U200	2 x Twin 13A Switched Sockets			
P20A485GBA3U102	1 x Twin 13A Switched RCD Socket			
P20A485GBA3U201	2 x Twin 13A Switched RCD Sockets			
5m Auxiliary Earth Bla	ack Plug			
P20A485GBA5U100	1 x Twin 13A Switched Socket			
P20A485GBA5U200	2 x Twin 13A Switched Sockets			
P20A485GBA5U101	1 x Twin 13A Switched RCD Socket			
P20A485GBA5U201	2 x Twin 13A Switched RCD Sockets			




Integral RCD/RCBO

Our individual 20A Series 'Fast Fit' access floor box with integral Din Rail mounted RCD or RCBO protection has been designed to meet the demands of the modern day working environment. By using a modular breaker wired to normal sockets the need for expensive RCD sockets is removed. Separate removable compartments allow services to be removed whilst the floor box body and lid remain in situ.



- Integral RCD/RCBO wired to normal sockets
- Fast and simple tool free fixing mechanism
- Easy access for carpet fitting: the lid and trim is removed in seconds
- Quick release lid for easy access to accessory plates
- Can be pre-fitted with socket outlet and tap off unit
- Self closing lid
- Non-trip cable outlet brackets




Overall Depth	Plug Space	Socket Space
95mm	30mm	45mm



Note:

- These boxes are 4 compartment but use the 1st compartment to house the RCD/RCBO
- Removable compartments are double width for 1 twin socket and triple width for 2 twin sockets
- Compartment sizes are 75mm x 175mm





Standard Earth Pre-wired floor box c/w 32A unfused Betatrak® tap off

Floor Boxes

4 Compartment

Code	Description	RCD/RCBO
3m Standard Earth W	/hite Plug	
P20A495GBS3U200	1 x Twin 13A Switched Socket	40A RCD
P20A495GBS3U308	2 x Twin 13A Switched Sockets	40A RCD
P20A495GBS3U207	1 x Twin 13A Switched Socket	20A RCBO
P20A495GBS3U301	2 x Twin 13A Switched Sockets	20A RCBO
5m Standard Earth W	/hite Plug	
P20A495GBS5U204	1 x Twin 13A Switched Socket	40A RCD
P20A495GBS5U305	2 x Twin 13A Switched Sockets	40A RCD
P20A495GBS5U203	1 x Twin 13A Switched Socket	20A RCBO
P20A495GBS5U304	2 x Twin 13A Switched Sockets	 20A RCBO

Clean Earth Pre-wired floor box c/w 32A unfused

Betatrak® tap off

4 Compartment

Code	Description	RCD/RCBO
3m Clean Earth Red F	Plug	
P20A495GBC3U202	1 x Twin 13A Switched Socket	40A RCD
P20A495GBC3U302	2 x Twin 13A Switched Sockets	40A RCD
P20A495GBC3U203	1 x Twin 13A Switched Socket	20A RCBO
P20A495GBC3U303	2 x Twin 13A Switched Sockets	20A RCBO
5m Clean Earth Red F	Plug	
P20A495GBC5U201	1 x Twin 13A Switched Socket	40A RCD
P20A495GBC5U301	2 x Twin 13A Switched Sockets	40A RCD
P20A495GBC5U202	1 x Twin 13A Switched Socket	20A RCBO
P20A495GBC5U302	2 x Twin 13A Switched Sockets	 20A RCBO

Auxiliary Standard Earth Pre-wired floor box c/w

32A unfused Betatrak® tap off

4 Compartment

Code	Description	RCD/R	СВО
3m Auxiliary Earth Bla	ack Plug		
P20A495GBA3U200	1 x Twin 13A Switched Socket	40A RC	D
P20A495GBA3U300	2 x Twin 13A Switched Sockets	40A RC	D
P20A495GBA3U201	1 x Twin 13A Switched Socket	20A RC	BO
P20A495GBA3U301	2 x Twin 13A Switched Sockets	20A RC	BO
5m Auxiliary Earth Bla	ack Plug		
P20A495GBA5U200	1 x Twin 13A Switched Socket	40A RC	D
P20A495GBA5U300	2 x Twin 13A Switched Sockets	40A RC	D
P20A495GBA5U201	1 x Twin 13A Switched Socket	20A RC	BO
P20A495GBA5U301	2 x Twin 13A Switched Sockets	20A RC	BO






Screed + Screwfix

The 93 and 99 Series range of floor boxes are available for use as either a 'stand alone' screed floor type or a screw fixed type suitable for raised floors. Screed floor types are supplied with jacking legs which allow 10mm adjustment for levelling with the finished floor depth and are sealed to prevent ingress of screed.

Features:

- Quick release lid for easy access to accessory plate
- Self closing lid
- Non-Trip cable outlet brackets






Code	Description	Code	Description	Code	Description
PP93285G	Screw Fix, 85mm deep Floor box, Grey Trim	PP99385G	Screw Fix, 85mm deep Floor box, Grey Trim	PP99485G	Screw Fix, 85mm deep Floor box, Grey Trim
PPS93285G	Screed Box, 85mm deep, Grey Trim - Adapted for Screed	PPS99385G	Screed Box, 85mm deep, Grey Trim - Adapted for Screed	PPS99485G	Screed Box, 85mm deep, Grey Trim - Adapted for Screed
				Add Suffix /KL	Additional overcost to fit a Key Lock to a floor box lid

bower bower



Stainless Steel

3 or 4 compartment stainless steel access floor boxes comprise of three distinct assemblies: the box base, the mounting frame and purpose made stainless steel frame/lid assembly. The box base has 20mm and 25mm conduit knockouts in each long side and dividing fillets that are provided to separate services. The box base is manufactured from galvanised steel and comes complete with a grid to accept interchangeable accessories. The mounting frame is manufactured from galvanised steel and has two fixing holes in each long side. The frame/lid tray assembly is manufactured from brushed stainless steel with straight edges and cable outlet brackets in the same material. The recess in the tray lid is 23mm deep. Maximum outside size of S/S trim is 325mm x 193mm and overall box depth is 99mm. The box is provided with jacking legs for levelling and adjustment – Screed option only.



powe

3 Compartment

Code	Description
PP90375SS/23	Screwfix Unwired Floor box, Stainless Steel Trim 75mm deep
PPS90375SS/23	Screed Unwired Floor box, Stainless Steel Trim 75mm deep

The box has approx. 30mm plug top space due to final lid adjustment.

4 Compartment

Code	Description
PP90475SS/23	Screwfix Unwired Floor box, Stainless Steel Trim 75mm deep
PPS90475SS/23	Screed Unwired Floor box, Stainless Steel Trim 75mm deep