

# 25SB Series Floor Box



5 Year  
Warranty



100%  
Recyclable



## INTRODUCTION


The 25SB Series floor boxes are suitable for screed floor applications and are available with either 3 or 4 compartments. The 25SB Series floor boxes are designed for use in commercial environments and provide an efficient fast-fit installation with ease of access to power sockets and data.

## KEY FEATURES


1. Designed to comply with BS EN 61534 Traffic Load Tests, and features low profile lid and non trip cable outlet brackets.
2. Supplied pre-built with either a 3 or 4 compartments.
3. Simple rectangular 6.5mm deep lid infill for carpet.
4. A choice of three cable outlet points.
5. Reversible, self closing lid and cable management to aid workplace re-design.
6. Robust, auto close metal handle.
7. Safe touch, integrated floor fixing for quick and easy installation.
8. Galvanised steel back box with adjustable, levelling feet.
9. Height adjustable lid and trim to suit floor finish thickness.
10. Can be supplied with Betatrak tap-offs pre-wired to socket outlets.
11. A choice of accessory plate sizes:
  - 3 compartment: 100mm x 175mm
  - 4 compartment: 75mm x 175mm





## MATERIAL COMPOSITION



## DIMENSIONS



Overall Depth	Plug Space	Socket Space
85mm	36.5mm	45.3mm
100mm	49.5mm	45.3mm
115mm	64.5mm	45.3mm
130mm	79.5mm	45.3mm



## DETAILS

DESCRIPTION:	25SB Series Floor Box	SOCKET TYPE:	Twin switched UK sockets & RCD twin switched UK sockets in standard & clean earth
RANGE:	Power Distribution		
APPLICATION:	Screed floor installation		
TRIM TYPE:	Flanged		
TRIM COLOUR:	Grey - RAL 7031	SOCKET QTY:	*Max 3 twin switched sockets outlets
TRIM FINISH:	Fine sparked		
LOCKABLE LID:	Available on request	SOCKET PLATE COLOUR:	Grey - RAL 7004 (Standard) Red - RAL 3001 (C/E)
BASE BOX TYPE:	Single base box		
BASE BOX FINISH:	Galvanised mild steel	DATA:	**Supports Cat6 & Cat6A data & Cat7
BASE BOX HEIGHT:	85mm, 100mm, 115mm or 130mm		

\*Depending on the size of the plugs being used.

\*\*Some Cat6 and Cat7 data cable may not be suitable.

## LOGISTICS

BOXED SIZE:	332mm x 405mm x 245mm (unwired)	UNBOXED SIZE:	96.9mm x 360mm x 225.5mm
BOXED NET WEIGHT:	2.9kgs (unwired)	UNBOXED NET WEIGHT:	3.4kgs
BOX QTY:	1 floor box per box		

Logistical information is based on a floor box with 85mm base box.

## INSTALLATION

FLOOR CUT OUT SIZE:	332mm x 200mm +/- 1mm	CABLE OUTLETS:	3x cable outlet brackets
FLOOR THICKNESS:	15-40mm	CABLE OUTLET SIZE:	63mm x 16mm
LID DIRECTION:	Reversible tool free lid	CABLE MANAGEMENT:	3x reversible cable guides (requires a flat head screwdriver not supplied)
LID INFILL CUT-OUT SIZE:	319mm x 139mm		
SECURITY:	Option lockable lid (2x keys)	KNOCK-OUTS:	16 Max
FLOOR FINISH THICKNESS:	6.5mm	KNOCK-OUT SIZES:	20mm and 25mm
		DIVIDERS:	Supplied with pre-fitted dividers

## COMPLIANCE & CERTIFICATION

STANDARDS:	Designed to comply with BS EN 61534-22 IP2X rating in accordance with BS EN 50085-1 Self closing lid and metal handle in accordance with IEC 61534-22
MARKING:	CE, UKCA, WEEE
WEEE/EEE:	A pre-wired 25SB Series Floor Box is compliant with the WEEE Directive (2012/19/EU). We are registered with a Producer Compliance Scheme (WEEE Producer Registration Number: WEE/BE0005ZR), support WEEE reuse and recycling to reduce landfill use, protecting resources. CMD recognises the design and construct of the product as a category 2 EEE item under such compliance schemes

## WARRANTY

WARRANTY TERMS:	5-Year Warranty
-----------------	-----------------

## PRODUCT CARE

ROUTINE SERVICING:	Periodic visual inspection
SPARES:	Lids and trim, cable guides and cable outlet brackets
CLEANING & MAINTENANCE:	Clean using a dry cloth. No abrasives or solvents to be used on the product
HANDLING & CARE:	Do not drop or expose to moisture
END OF LIFE:	100% Recyclable via WEEE scheme



Website



User Guide



## ORDERING

---

# Empty 25SB Series Screed Floor Box

c/w 3m or 5m 32A unfused Betatrak Tap-off

### 3 COMPARTMENT

Part Number	Description	Socket Colour
PP25S385G	Screed Floor, 85mm Deep	N/A
PP25S310G	Screed Floor, 100mm Deep	N/A
PP25S311G	Screed Floor, 115mm Deep	N/A
PP25S313G	Screed Floor, 130mm Deep	N/A
Add Suffix KL	Option to add a Key Lock to a floor box lid	

### 4 COMPARTMENT

Part Number	Description	Socket Colour
PP25S485G	Screed Floor, 85mm Deep	N/A
PP25S410G	Screed Floor, 100mm Deep	N/A
PP25S411G	Screed Floor, 115mm Deep	N/A
PP25S413G	Screed Floor, 130mm Deep	N/A
Add Suffix KL	Option to add a Key Lock to a floor box lid	